



Information in this format is provided as a service to our customers and is intended only for their use. Others may use it at their own discretion and risk.

"BOLPHANE" SHRINK FILMS

SAFETY DATA SHEET

I. CHEMICAL PRODUCT/COMPANY IDENTIFICATION

Material Identification

"BOLPHANE" is a registered trademark of BOLLORE.

Identification of the product:

BOLPHANE BX ; BY ; BHE

Supplier

MANUFACTURER/DISTRIBUTOR
BOLLORE INC.
60 LOUISA VIENS DR. P.O. BOX 530
DAYVILLE CONNECTICUT 06241

PHONE NUMBERS

Product Information : 860-774-7431
Transport Emergency : 860-774-7431
Medical Emergency : 860-774-7431

II. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Material	CAS	%
ETHYLENE -POLYPROPYLENE		30 to 45
POLYETHYLENE	9002-88-4	50 to 65
ADDITIVES		<5

III. HAZARDS IDENTIFICATION

Potential Health Effects

ADDITIONAL HEALTH EFFECTS

No components are hazardous as defined by 29 CFR 1910.1200

Carcinogenicity Information

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, OSHA as a carcinogen.

IV. FIRST AID MEASURES

First Aid

INHALATION

No specific intervention is indicated as the compound is not likely to be hazardous by inhalation. Consult a physician if necessary.

SKIN CONTACT

The compound is not likely to be hazardous by skin contact but cleansing the skin after use is advisable.

The predominant gases produced during normal hot wire cutting and shrinking operations are low molecular weight hydrocarbons, carbon dioxide, carbon monoxide, water, and hydrocarbon oxidation products including organic acids, aldehydes, and alcohols. The amount of each is low. BOLLORE does not believe concentrations of these gases present a hazardous work environment. Nevertheless, local ventilation is recommended.

In exceptional circumstances, in gross mis-operation of equipment or while the product is being disposed of, "BOLPHANE" shrink film may be exposed to temperatures above 617°F (325°C). In this case fumes irritating to the eyes, nose, and throat may be produced.

Exposure to these fumes may result in redness, tearing, and itching of the eyes and soreness in the nose and throat together with coughing.

EYE CONTACT

This product is an inert solid. If in eye, remove as one would any foreign object.

INGESTION

First aid is normally not required.

V. FIRE FIGHTING MEASURES

Extinguishing Media

Water, Foam, Dry Chemical, CO2.

VI. ACCIDENTAL RELEASE MEASURES

Land spill

Sweep up spilled material and place in suitable container for recycle or disposal.

VII. HANDLING AND STORAGE

Handling (Physical Aspects)

Can accumulate high static electric charge during handling. Static charges can cause explosions in solvent and dust laden atmospheres.

Storage

Store in a cool, dry place. Keep containers tightly closed to prevent moisture absorption and contamination.

VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls

No special precaution during normal use of the product.

Use static controls. Static charges can build up and ignite dust or solvent laden atmospheres.

Exposure Guidelines

Applicable Exposure Limits

POLYETHYLENE
PEL (OSHA) : None Established
TLV (ACGIH) : None Established

IX. PHYSICAL AND CHEMICAL PROPERTIES

Physical Data

% Volatiles : Negligible
Solubility in Water : Negligible
Odor : None
Form : Clear transparent film

X. STABILITY AND REACTIVITY

Chemical Stability

Stable.

Incompatibility with Other Materials

None reasonably foreseeable.

Decomposition

Decomposition temperature: 617 F (325°C)

Hazardous gases or vapors can be released, including carbon monoxide, hydrocarbon oxidation products, including, organic acids, aldehydes, alcohols.

XI. TOXICOLOGICAL INFORMATION

Negligible hazard at ambient temperature for inhalation, skin contact, eye contact and ingestion.

XII. ECOLOGICAL INFORMATION

AQUATIC TOXICITY:

No information is available. Toxicity is expected to be low based on insolubility in water.

XIII. DISPOSAL CONSIDERATIONS

Waste Disposal

Options for disposal are recycling, incineration with energy recovery, and landfill. Treatment, storage, transportation, and disposal must be in accordance with applicable federal, state/provincial, and local regulations.

XIV. TRANSPORTATION INFORMATION

Shipping Information

DOT: Not regulated
TDG: Not regulated

XV. REGULATORY INFORMATION

TITLE III HAZARD CLASSIFICATIONS SECTIONS 311, 312

Acute : No
Chronic : No
Fire : No
Reactivity : No
Pressure : No

State Regulations (U.S.)

STATE RIGHT-TO-KNOW LAWS

No substances on the state hazardous substances list, for the states indicated below, are used in the manufacture of products on this Material Safety Data Sheet.

SUBSTANCES ON THE PENNSYLVANIA HAZARDOUS SUBSTANCES LIST PRESENT AT A CONCENTRATION OF 1% OR MORE (0.01% FOR SPECIAL HAZARDOUS SUBSTANCES): None known.

WARNING: SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM: None known.

SUBSTANCES ON THE NEW JERSEY WORKPLACE HAZARDOUS SUBSTANCE LIST PRESENT AT A CONCENTRATION OF 1 % OR MORE (0.1% FOR SUBSTANCES IDENTIFIED AS CARCINOGENS, MUTAGENS OR TERATOGENS): None known.

Responsibility for MSDS : R.TEZENAS
BOLLORE
ODET-ERGUE GABERIC
29 000 QUIMPER cedex 9 (France)
Product Information : 00 (33) 02 98 66 72 00
Established : december 10th ; 2002

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is the best of BOLLORE company's knowledge and believed accurate and reliable as of the date indicated. However, no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use.

End of MSDS